

DECLARATION OF COMPLIANCE Seitz® AKS4 Series Filter Sheets

Product Grade

AKS4

Seitz AKS4 Series filter sheets are intended for cold filtration of beer, water, fruit juice and spirits. These filters comprise a cellulose matrix with natural diatomaceous earth and activated carbon. The sheet material also contains low levels of binder resin, polyolefin fibers and perlite.

The AKS4 filter sheets possess a high adsorption capacity due to a content of about 40 weight percentage of finely powdered activated carbon.

An initial flush is required as detailed in Pall's Instruction for Use (IFU) documentation that accompanies the product, prior to use.

Issued	1 September 2009
Revised	15 March 2018
Expires	28 February 2019
Reference	FBDCAKS4ENh
Page	1 of 3



Dawn Cromwell
Quality Director
Pall Laboratory, Food and Beverage

Seitz AKS4 Series Filter Sheets

Components

Cellulose fibers cross-linked cationic polyalkene amine binder resin, activated carbon, perlite, diatomaceous earth and polyolefin fibers.

Declaration

Europe

The Seitz AKS4 Series filter sheets meet the requirements of food contact as detailed in European Regulation (EC) Number 1935/2004 in that:

- Our supplier states that the binder resin is suitable for use in the production of paper and paperboard intended to come into contact with food, according to with BfR Recommendations XXXVI, XXXVI/1, XXXVI/2 and XXXVI/3.
- Our suppliers state that the monomers and additives of the polymer fibres are listed in European Regulation (EU) Number 10/2011 Annex I.
- The filter sheet product complies with BfR Recommendations XXXVI and XXXVI/1, as well as with the German Foodstuffs and Animal Feed Code (LFGB) §§ 30 and 31.
-

USA

The following materials of construction meet the FDA requirements for food contact use as detailed in the US Code of Federal Regulations, 21 CFR paragraphs 177-199 in that:

- Cellulose and binder resin for use in resin-bonded filters, as given in 21 CFR section 177.2260 (Filters, resin bonded) and 21 CFR section 176.170 (Components of paper and paperboard in contact with aqueous and fatty foods).
- Polyolefin fibers to 21 CFR section 177.1520 (Olefin polymers)
- The sheet filter material has met the requirements for total extractable as per 21 CFR 177.2260 (Filters, Resin Bonded) (g) (h) (i) (j) (k) (l), when tested with 50% ethanol at room temperature and n-hexane at reflux.
- Our supplier states that the activated carbon material employed meets the requirements of the monograph "Carbon Activated" in the latest version of the Food Chemical Codex (FCC).
- Our supplier states that the Perlite material employed complies with the requirements of the US Food Chemical Codex (FCC).
- Our supplier states that the diatomaceous earth material employed complies with the requirements of the US Food Chemical Codex (FCC).

Process Quality System

Site of Manufacture: Pall Filtersystems GmbH, Bad Kreuznach, Germany on behalf of Pall International Sàrl.

The Quality Management System at Pall Filtersystems GmbH, Bad Kreuznach is certified to ISO 9001:2008. These products / product packaging carry a lot number / date code to facilitate traceability to suppliers' materials and Pall production records as required by European Regulation (EC) number 2023/2006 related to food contact GMP.

Supplied in Europe by

Pall International Sàrl
Av. de Tivoli 3
Fribourg
Switzerland
CH-1700




Pall Food and Beverage

New York - USA
+1 516 484 3600 telephone
+1 866 905 7255 toll free

Visit us on the web at www.pall.com

Pall Corporation has offices throughout the world. For Pall representatives in your area, please go to www.pall.com/contact foodandbeverage@pall.com. Because of developments related to products, systems and/or services described herein, the data and procedures are subject to change without notice. Please consult your Pall representative or visit www.pall.com to verify that this information remains valid.

© Copyright 2018, Pall Corporation. Pall,  and Seitz are trademarks of Pall Corporation. ® indicates a trademark registered in the USA. Filtration.Separation.Solution is a service mark of Pall Corporation.

FBDCAKS4ENh

March 2018